BUILT TO PROTECT.

LEARN MORE ABOUT + OUR PRODUCTS







www.peli.com

www.pelicatalogue.com

www.peli.com/webinars







EMEA

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U. C/ Provença, 388 Planta 7 08025 • Barcelona, Spain Tel +34 934 674 999 Fax +34 934 877 393 www.peli.com

FRANCE

PELI PRODUCTS FRANCE S.A.S. 20/22 Rue des Petits Hôtels 75010 Paris, France Tel +33 (0)1 44 83 95 63 Fax +33 (0)1 44 83 95 68 www.peli.com

PELI HARDIGG UK Unit 4, Brookfield Industrial Estate Leacon Road Ashford Kent TN23 4TU Tel + 44 (0) 1233 895 895 Fax +44 (0) 1233 895 899 www.peli.com

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue Torrance, CA 90505 USA Tel 310.326.4700 800.473.5422 (Outside CA) Fax 310.326.3311 www.pelican.com

GERMANY

PELI PRODUCTS GERMANY GmbH Düsseldorf Kö-Bogen **Business Center** Königsallee 2b, 5th Floor 40212 Düsseldorf, Germany Tel +49 (0) 211 882 42 401 Fax +49 (0) 211 882 42 200 www.peli.com

UAE

PELICAN PRODUCTS FZE JAFZA One Building A office 1511/1512 Jebel Ali Free Zone gate 5 P.O.Box 261008 Dubai - United Arab Emirates Tel +971 4 8876550 Fax +971 4 8876549 www.pelican.com www.peli.com

POLSKA VANTORO Al. Armii Krajowej 61 50-541 Wrocław Tel. 71 792 6015 Fax 71 792 7071 zamowienia@vantoro.pl

PELICAN HARDIGG

147 North Main Street South Deerfield, MA 01373 Tel (800) 542 73 44 Fax (413) 665 8330 www.pelican.com

* We also have offices in Canada, Japan, China, Australia, South Korea and India

INJECTION MOULDED CASES - PELI LIMITED LIFETIME* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection moulded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/warranty

* Lifetime Guarantee not applicable where prohibited by law.

























Check out our 40 Years of Protection video:









Bertrand Delapierre, Director of extreme adventure films

TABLE + OF CONTENTS

FEATURES	3
PROTECTION SOLUTIONS	4-5

PELI STORM CASES

Small Cases	6
Medium Cases	7-8
Large Cases	9-1
Case Accessories	10-
Starm Casa Specifications	11



FEATURES

+ PRESS & PULL™ LATCHES

These smooth-opening, patented latches hold tight under pressure and impact with easy-opening performance. Tested to over 180 kg (400lbs.), yet open with a simple release button.



+ DOUBLE-LAYER, SOFT-GRIP HANDLES



When the weather goes south you'll find a secure grip that won't slip. An in-tool vulcanizing process over-moulds the grips to the polymer handle for a lifetime of dependable performance.

+ VORTEX® PRESSURE RELEASE VALVE

The built-in technology of Peli Storm Cases automatic pressure equalisation valve is also a patented feature. During air travel it prevents vacuum lock to make opening the case natural, even

opening the case natural, even after extreme altitude changes. At the same time, the microscopic filter blocks water molecules and dust particles so your gear stays clean in the Gobi Desert and dry on the Nile River.



+ RUGGED IN-LINE WHEELS



Shielded from dust, dirt and other contaminants – ball bearing wheels provide low-friction, low-drag rolling with retractable handles for easy movement of heavy loads.


+ MOULDED-IN LOCKABLE HASPS

Twin mating hasp holes on the rim of the case allow attachment of padlocks to keep your gear in and thieves out. And check out Peli's TSA approved cable padlock. Now you can check-in your luggage with confidence while flying. The Travel Security Agency has the key, and you have the combination.



+ TESTED

The Peli™ Case design is the result of multiple generations of refinement. This evolution is proven through a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.





PELI™STORM CASE PROTECTION SOLUTIONS

Peli[™] Storm Cases are available empty or with any of the following protection solutions.

An alternative to PeliTM foam is our optional Padded

+ PADDED DIVIDERS

Divider Sets. The compartments are

connected with Velcro® so you can easily change

the configuration

according to

your needs.

Peli™ Case shown

+ CUSTOM FOAM SOLUTIONS

Custom foam and extreme solutions such as deck mount suspension systems will keep your delicate items protected on the inside.



+ LID ORGANISERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organised. They install easily with Velcro® strips (included).



+ PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1,27 cm or 2,54 cm cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least 2,5 cm of foam between your equipment and the case wall.

The following cases ship with solid foam instead of Pick N Pluck™ Foam: iM3100, iM3200, iM3220, iM3300, iM3410





+ ELECTRONIC **INSTALLATIONS**

Peli™ Storm Case allows customisation for electronics. The copolymer material can be machined, drilled and

sanded smooth. This makes the Peli™ Storm Case suitable for use with bulkhead connectors.



Peli™ Case shown. This picture only serves to illustrate the application.



+ BEZEL KITS

Many Peli™ Storm cases can be adapted for use with electronic interface panels by using a Bezel Kit. Pre-drilled holes and

stainless steel screws make fabricating a custom case a fast and accurate proposition.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open.



- O-ring
- Bezel Kit
- Attachment Hardware

	PELI™ STORM CASE™ AVAILABLE BEZEL KITS CASES						
CAT. NO.	INTERIOR DIMENSIONS inches/cm LxWxH	EXTERIOR DIMENSIONS inches/cm LxWxH					
iM2050	9.5" x 7.5" x 4.25" (24.1 x 19 x 10.8 cm)	11.8" x 9.8" x 4.7" (30 x 24.9 x 11.9 cm)					
iM2075	9.5" x 7.5" x 7.25" (24.1 x 19 x 18.4 cm)	11.8" x 9.8" x 7.7" (30 x 24.9 x 19.6 cm)					
iM2100	13" x 9.2" x 6" (33 x 23.4 x 15.2 cm)	14.2" x 11.4" x 6.5" (36.1 x 28.9 x 16.5 cm)					
iM2200	15" x 10.5" x 6" (38.1 x 26.7 x 15.2 cm)	16.2" x 12.7" x 6.6" (41.1 x 32.2 x 16.8 cm)					
iM2300	17" x 11.7" x 6.2" (43.2 x 29.7 x 15.7 cm)	18.2" x 13.4" x 6.7" (46.2 x 34 x 17 cm)					
iM2306	17" x 6.3" x 6.2" (43.2 x 16 x 15.7 cm)	18.2" x 8.4" x 6.7" (46.2 x 21.3 x 17 cm)					
iM2400	18" x 13" x 6.7" (45.7 x 33 x 17 cm)	19.2" x 15.2" x 7.3" (48.7 x 38.6 x 18.5 cm)					
iM2450	18" x 13" x 8.4" (45.7 x 33 x 21.3 cm)	19.2" x 15.2" x 9" (48.7 x 38.6 x 22.9 cm)					
iM2500	20.5" x 11.5" x 7.2" (52 x 29.2 x 18.3 cm)	21.7" x 14.1" x 8.9" (55.1 x 35.8 x 22.6 cm)					
iM2600	20" x 14" x 7.7" (50.8 x 35.5 x 19.6 cm)	21.2" x 16" x 8.3" (53.8 x 40.6 x 21.1 cm)					
iM2620	20" x 14" x 10" (50.8 x 35.5 x 25.4 cm)	21.2" x 16" x 10.6" (53.8 x 40.6 x 26.9 cm)					
iM2700	22" x 17" x 8" (55.9 x 43.2 x 20.3 cm)	24.6" x 19.7" x 8.6" (62.5 x 50 x 21.8 cm)					
iM2720	22" x 17" x 10" (55.9 x 43.2 x 25.4 cm)	24.6" x 19.7" x 11.7" (62.5 x 50 x 29.7 cm)					
iM2750	22" x 17" x 12.7" (55.9 x 43.2 x 32.2 cm)	24.6" x 19.7" x 14.4" (62.5 x 50 x 36.6 cm)					
iM2875	22.5" x 21.1" x 11.4" (57.1 x 53.6 x 28.9 cm)	24.9" x 23.7" x 13.1" (63.2 x 60.2 x 33.3 cm)					
iM2950	29" x 18" x 10.5" (73.6 x 45.7 x 26.7 cm)	31.3" x 20.4" x 12.2" (79.5 x 51.8 x 31 cm)					
iM2975	29" x 18" x 13.8" (73.6 x 45.7 x 35 cm)	31.3" x 20.4" x 15.5" (79.5 x 51.8 x 39.4 cm)					

+ WE CUSTOMISE **YOUR LOGO**

Personalise your case with your company logo or have your name engraved on the nameplate. Logos can be applied in multiple colours as a Mylar® decal or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.



PELI"STORM **SMALL CASES**

Perfect for small gear and instruments with all the features found in larger cases: strong HPX™ resin construction, Vortex™ valve, and Press & Pull™ latches.

iM2050 CASE Similarly sized Peli Case: 1200

INTERNAL DIMS:

24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")

EXTERNAL DIMS:

30 x 24.9 x 11.9 cm (11.80" x 9.80" x 4.70")

LID/BOTTOM DEPTH:

3.8 cm / 7 cm (1.50" / 2.75")

WEIGHT:

1.36 kg (3 lbs.) WITH FOAM 1.22 kg (2.7 lbs.) NO FOAM





iM2050GP1

Similarly sized Peli Case: 1200

INTERNAL DIMS: 24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")

EXTERNAL DIMS: 30 x 24.9 x 11.9 cm

(11.80" x 9.80" x 4.70")

LID/BOTTOM DEPTH: $3.8 \ \mathrm{cm} \ / \ 7 \ \mathrm{cm} \ (1.50'' \ / \ 2.75'')$

WEIGHT:

1.36 kg (3 lbs.) WITH FOAM 1.22 kg (2.7 lbs.) NO FOAM



iM2075 Similarly sized Peli Case: 1300

INTERNAL DIMS:

24.1 x 19 x 18.4 cm (9.50" x 7.50" x 7.25")

EXTERNAL DIMS: 30 x 24.9 x 19.6 cm


(11.80" x 9.80" x 7.70") LID/BOTTOM DEPTH:

3.8 cm / 14.6 cm (1.50" / 5.75")

WEIGHT: 1.68 kg (3.7 lbs.) WITH FOAM 1.5 kg (3.3 lbs.) NO FOAM







iM2050GP2 Similarly sized Peli Case: 1200

INTERNAL DIMS:

24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")

EXTERNAL DIMS: 30 x 24.9 x 11.9 cm

(11.80" x 9.80" x 4.70")

LID/BOTTOM DEPTH: 3.8 cm / 7 cm (1.50" / 2.75")

WEIGHT:

1.36 kg (3 lbs.) WITH FOAM 1.22 kg (2.7 lbs.) NO FOAM

Holds 2 GoPro

iM2100

Similarly sized Peli Case: 1400

INTERNAL DIMS:

33 x 23.4 x 15.2 cm (13.00" x 9.20" x 6.00")

EXTERNAL DIMS:

36.1 x 28.9 x 16.5 cm (14.20" x 11.40" x 6.50")

LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT: 2.22 kg (4.9 lbs.) WITH FOAM 1.91 kg (4.2 lbs.) NO FOAM






MEDIUM CASES

PELI"STORM

From firefighters, EMTs, outdoor enthusiasts, and law enforcement to industrial engineers and photographers, there's a Peli™ Storm Case™ for every professional. Built strong in three standard configurations: Pick N Pluck™ foam, padded dividers (on selected models) or empty.

iM2200 STORM CASE Similarly sized Peli Case: 1450



iM2300 STORM CASE Similarly sized Peli Case: 1500

INTERNAL DIMS:

38.1 x 26.7 x 15.2 cm (15.00" x 10.50" x 6.00")

EXTERNAL DIMS:

41.1 x 32.2 x 16.8cm (16.20" x 12.70" x 6.60")

LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT:

2.77 kg (6.1 lbs.) WITH FOAM 2.22 kg (4.9 lbs.) NO FOAM



iM2306 STORM CASE

INTERNAL DIMS:

43.2 x 16 x 15.7cm (17.00" x 6.30" x 6.20")

EXTERNAL DIMS: 46.2 x 21.3 x 17cm

(18.20" x 8.40" x 6.70")

LID/BOTTOM DEPTH: 5.1 cm / 10.7 cm (2.00" / 4.20")

WEIGHT: 2.13 kg (4.7 lbs.) WITH FOAM 1.95 kg (4.3 lbs.) NO FOAM



iM2370 STORM LAPTOP CASE

INTERNAL DIMS:

46.2 x 30.7 x 13.2 cm (18.20" x 12.10" x 5.20")

INTERNAL DIMS: 43.2 x 29.7 x 15.7cm

EXTERNAL DIMS:

46.2 x 34 x 17cm

WEIGHT:

(17.00" x 11.70" x 6.20")

(18.20" x 13.40" x 6.70")

LID/BOTTOM DEPTH:

5.1 cm / 10.7 cm (2.00" / 4.20")

3.22 kg (7.1 lbs.) WITH FOAM

2.68 kg (5.9 lbs.) NO FOAM

EXTERNAL DIMS: 50.8 x 37.3 x 14.7 cm (20.00" x 14.70" x 5.80")

LID/BOTTOM DEPTH: 4.3 cm / 8.9 cm (1.70" / 3.50")

WEIGHT:

3.27 kg (7.2 lbs.) WITH FOAM 2.59 kg (5.7 lbs.) NO FOAM





PELI STORM CASE CATALOGUE

iM2400 STORM CASE Similarly sized Peli Case: 1520

INTERNAL DIMS:

45.7 x 33 x 17 cm (18.00" x 13.00" x 6.70")

EXTERNAL DIMS:

48.7 x 38.6 x 18.5 cm (19.20" x 15.20" x 7.30")

LID/BOTTOM DEPTH:

5.1 cm / 11.9 cm (2.00" / 4.70")

WEIGHT:

3.54 kg (7.8 lbs.) WITH FOAM 2.95 kg (6.5 lbs.) NO FOAM





iM2435 STORM CASE

INTERNAL DIMS:

44.4 x 16.5 x 39.4 cm (17.50" x 6.50" x 15.50")

EXTERNAL DIMS:

47.3 x 23.5 x 41.9 cm (18.63" x 9.25" x 16.50")

LID/BOTTOM DEPTH: 5.1 cm / 34.3 cm

(2.00"/ 13.50")

WEIGHT:

5.06 kg. (11.15 lbs.) WITH FOAM 4.54 kg (10 lbs.) NO FOAM





iM2450 STORM CASE

INTERNAL DIMS:

45.7 x 33 x 21.3 cm (18.00" x 13.00" x 8.40")

EXTERNAL DIMS:

48.7 x 38.6 x 22.9 cm (19.20" x 15.20" x 9.00")

LID/BOTTOM DEPTH:

5.1 cm / 16.2 cm (2.00" / 6.40") WEIGHT:

4.04 kg (8.9 lbs.) WITH FOAM 3.36 kg (7.4 lbs.) NO FOAM





iM2500 STORM CASE Similarly sized Peli Case: 1510

INTERNAL DIMS: 52 x 29.2 x 18.3 cm

(20.50" x 11.50" x 7.20") **EXTERNAL DIMS:**

55.1 x 35.8 x 22.6 cm (21.70" x 14.10" x 8.90")

LID/BOTTOM DEPTH: 5.1 cm / 13.2 cm (2.00" / 5.20")

WEIGHT:

6.21 kg (13.7 lbs.) WITH FOAM 5.03 kg (11.1 lbs.) NO FOAM





iM2600 STORM CASE Similarly sized Peli Case: 1550

INTERNAL DIMS:

50.8 x 35.5 x 19.6 cm (20.00" x 14.00" x 7.70")

EXTERNAL DIMS:

53.8 x 40.6 x 21.1 cm (21.20" x 16.00" x 8.30")

LID/BOTTOM DEPTH:

5.1 cm / 14.5 cm (2.00" / 5.70")

WEIGHT:

5.26 kg (11.6 lbs.) WITH FOAM 3.86 kg (8.5 lbs.) NO FOAM





INTERNAL DIMS:

50.8 x 35.5 x 25.4 cm (20.00" x 14.00" x10.00")

EXTERNAL DIMS:

53.8 x 40.6 x 26.9 cm (21.20" x 16.00" x 10.60")

LID/BOTTOM DEPTH: 5.1 cm / 20.3 cm (2.00" / 8.00")

WEIGHT:

6.58 kg (14.5 lbs.) WITH FOAM 5.67 kg (12.5 lbs.) NO FOAM



TUNISIA RUINS SAVED

SURVIVAL + STORIES

At remote ancient Roman ruins working on time-lapse astrophotography, packing the car at 04:00 am. A little later on a winding country road I notice that the rear trunk door is open and my iM2370 is gone! OMG. Driving back, looking left and right off the road to see the case (with all the production data and equipment worth 15K Euro). Soon after the gate lays the case, flat on the dirt road. Scratched and dusty, but it's a Peli case. Nothing damaged inside, of course. The production is safe again, with 3 TB of irreplaceable data, stored inside that Peli™ Storm Case™ iM2370.

Christoph Malin, Astrophotographer

CASE CONTENTS NOT INCLUDED

PELI"STORM LARGE CASES

In the lab or out in the field, a large Peli™ Storm Case™ with HPX™ resin construction stores and protects valuable and sensitive equipment from the elements. Pick N Pluck™ foam adds extra protection from shock during transport.



iM2720 STORM CASE Similarly sized Peli Case: 1610

iM2700 STORM CASE Similarly sized Peli Case: 1600

INTERNAL DIMS:

55.9 x 43.2 x 20.3 cm (22.00" x 17.00" x 8.00")

EXTERNAL DIMS: 62.5 x 50 x 21.8 cm (24.60" x 19.70" x 8.60")

LID/BOTTOM DEPTH: 5.1 cm / 15.2 cm

(2.00" / 6.00") WEIGHT:

6.53 kg (14.4 lbs.) WITH FOAM 5.03 kg (11.1 lbs.) NO FOAM





iM2750 STORM CASE Similarly sized Peli Case: 1620

INTERNAL DIMS:

55.9 x 43.2 x 32.2 cm (22.00" x 17.00" x 12.70")

EXTERNAL DIMS:

62.5 x 50 x 36.6 cm (24.60" x 19.70" x 14.40")

LID/BOTTOM DEPTH: 5.1 cm / 27.2 cm (2.00" / 10.70")

WEIGHT:

10.61 kg (23.4 lbs.) WITH FOAM 8.39 kg (18.5 lbs.) NO FOAM





iM2950 STORM CASE Similarly sized Peli Case: 1650

INTERNAL DIMS:

73.6 x 45.7 x 26.7 cm (29.00" x 18.00" x 10.50")

EXTERNAL DIMS: 79.5 x 51.8 x 31 cm

(31.30" x 20.40" x 12.20") LID/BOTTOM DEPTH:

5.1 cm / 21.6 cm (2.00" / 8.50") WEIGHT:

13.02 kg (28.7 lbs.) WITH FOAM 9.43 kg (20.8 lbs.) NO FOAM



7.62 kg (16.8 lbs.) NO FOAM

iM2875 STORM CASE

INTERNAL DIMS:

INTERNAL DIMS:

EXTERNAL DIMS:

62.5 x 50 x 29.7 cm

5.1 cm / 20.3 cm

(2.00" / 8.00")

WEIGHT:

55.9 x 43.2 x 25.4 cm

(22.00" x 17.00" x 10.00")

(24.60" x 19.70" x 11.70")

9.98 kg (22 lbs.) WITH FOAM

LID/BOTTOM DEPTH:

57.1 x 53.6 x 28.9 cm (22.50" x 21.10" x 11.40")

EXTERNAL DIMS:

63.2 x 60.2 x 33.3 cm (24.90" x 23.70" x 13.10")

LID/BOTTOM DEPTH: 5.1 cm / 23.9 cm (2.00" / 9.40")

WEIGHT: 11.16 kg (24.6 lbs.) WITH FOAM 9.12 kg (20.1 lbs.) NO FOAM



iM2975 STORM CASE

INTERNAL DIMS:

73.6 x 45.7 x 35 cm (29.00" x 18.00" x 13.80")

EXTERNAL DIMS: 79.5 x 51.8 x 39.4 cm (31.30" x 20.40" x 15.50")

LID/BOTTOM DEPTH: 5.1 cm / 30 cm (2.00" / 11.80")

WEIGHT:

13.38 kg (29.5 lbs.) WITH FOAM 10.34 kg (22.8 lbs.) NO FOAM







CASE CONTENTS NOT INCLUDED

iM3075 STORM CASE

INTERNAL DIMS:

75.7 x 52.8 x 45.2 cm (29.80" x 20.80" x 17.80")

EXTERNAL DIMS: 84.5 x 62 x 49 cm (33.30" x 24.40" x 19.30")

LID/BOTTOM DEPTH:

10.2 cm / 34.9 cm (4.00" / 13.75")

WEIGHT:

20.41 kg (45 lbs.) WITH FOAM 14.29 kg (31.5 lbs.) NO FOAM





iM3200 STORM CASE Similarly sized Peli Case: 1720

INTERNAL DIMS:

111.7 x 35.5 x 15.2 cm (44.00" x 14.00" x 6.00")

EXTERNAL DIMS:

119.8 x 41.9 x 17 cm (47.20" x 16.50" x 6.70")

LID/BOTTOM DEPTH:

5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT:

9.57 kg (21.1 lbs.) WITH FOAM 8.03 kg (17.7 lbs.) NO FOAM





iM3300 STORM CASE Similarly sized Peli Case: 1750

INTERNAL DIMS:

128.2 x 35.5 x 15.2 cm (50.50" x 14.00" x 6.00")

EXTERNAL DIMS: 136.6 x 41.9 x 17 cm

(53.80" x 16.50" x 6.70")

LID/BOTTOM DEPTH:

5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT:

10.43 kg (23 lbs.) WITH FOAM 8.66 kg (19.1 lbs.) NO FOAM



iM3100 STORM CASE Similarly sized Peli Case: 1700

INTERNAL DIMS:


92.7 x 35.5 x 15.2 cm (36.50" x 14.00" x 6.00")

EXTERNAL DIMS:

101.1 x 41.9 x 17 cm (39.80" x 16.50" x 6.70") LID/BOTTOM DEPTH:

5.1 cm / 10.2 cm (2.00" / 4.00")

WEIGHT: 8.98 kg (19.8 lbs.) WITH FOAM







iM3220 STORM CASE

INTERNAL DIMS:

111.7 x 35.5 x 21.6 cm (44.00" x 14.00" x 8.50")

EXTERNAL DIMS:

119.8 x 41.9 x 23.4 cm (47.20" x 16.50" x 9.20")

LID/BOTTOM DEPTH: 5.1 cm / 16.5 cm (2.00" / 6.50")

WEIGHT:

11.25 kg (24.8 lbs.) WITH FOAM 9.25 kg (20.4 lbs.) NO FOAM





138.4 x 25.4 x 15.2 cm (54.50" x 10.00" x 6.00")

146.6 x 32.3 x 16.9 cm

LID/BOTTOM DEPTH:

WEIGHT:

9.1 kg (20 lbs) WITH FOAM 8.2 kg (18 lbs) NO FOAM









iM3410 STORM CASE

INTERNAL DIMS:

EXTERNAL DIMS:

(57.74" x 12.71" x 6.67")

5.1 cm / 10.2 cm (2" / 4"

CASE ACCESSORIES




Lid Organisers Replacement Foam











PELI STORM CASE SPECIFICATIONS AND FEATURES

C	AT.NO.	INTERIOR DIMENSIONS (cm)	EXTERIOR DIMENSIONS (cm)	LID DEPTH	CASE DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE	COLOURS
SMALL CASES	iM2050	24.1 x 19 x 10.8	30 x 24.9 x 11.9	3.8 cm	7 cm	1.36 kg	1.22 kg	7.57 kg	-29 / 60° C	
	iM2075	24.1 x 19 x 18.4	30 x 24.9 x 19.6	3.8 cm	14.6 cm	1.68 kg	1.5 kg	12.9 kg	-29 / 60° C	
	iM2100	33 x 23.4 x 15.2	36.1 x 28.9 x 16.5	5.1 cm	10.2 cm	2.22 kg	1.91 kg	15.34 kg	-29 / 60° C	
	iM2200	38.1 x 26.7 x 15.2	41.1 x 32.2 x 16.8	5.1 cm	10.2 cm	2.77 kg	2.22 kg	20.03 kg	-29 / 60° C	
	iM2300	43.2 x 29.7 x 15.7	46.2 x 34 x 17	5.1 cm	10.7 cm	3.22 kg	2.68 kg	24.15 kg	-29 / 60° C	
	iM2306	43.2 x 16 x 15.7	46.2 x 21.3 x 17	5.1 cm	10.7 cm	2.13 kg	1.95 kg	14.84 kg	-29 / 60° C	
ES	iM2370	46.2 x 30.7 x 13.2	50.8 x 37.3 x 14.7	4.3 cm	8.9 cm	3.27 kg	2.59 kg	25.68 kg	-29 / 60° C	
CAS	iM2400	45.7 x 33 x 17	48.7 x 38.6 x 18.5	5.1 cm	11.9 cm	3.54 kg	2.95 kg	31.96 kg	-29 / 60° C	
MEDIUM CASES	iM2435	44.4 x 16.5 x 39.4	47.3 x 23.5 x 41.9	5.1 cm	34.3 cm	5.06 kg.	4.54kg	31.98 kg	-29 / 60° C	
ME	iM2450	45.7 x 33 x 21.3	48.7 x 38.6 x 22.9	5.1 cm	16.2 cm	4.04 kg	3.36 kg	28.86 kg	-29 / 60° C	
	iM2500	52 x 29.2 x 18.3	55.1 x 35.8 x 22.6	5.1 cm	13.2 cm	6.21 kg	5.03 kg	39.64 kg	-29 / 60° C	
	iM2600	50.8 x 35.5 x 19.6	53.8 x 40.6 x 21.1	5.1 cm	14.5 cm	5.26 kg	3.86 kg	42.28 kg	-29 / 60° C	
	iM2620	50.8 x 35.5 x 25.4	53.8 x 40.6 x 26.9	5.1 cm	20.3 cm	6.58 kg	5.67 kg	58.93 kg	-29 / 60° C	
	iM2700	55.9 x 43.2 x 20.3	62.5 x 50 x 21.8	5.1 cm	15.2 cm	6.53 kg	5.03 kg	63.27 kg	-29 / 60° C	
	iM2720	55.9 x 43.2 x 25.4	62.5 x 50 x 29.7	5.1 cm	20.3 cm	9.98 kg	7.62 kg	85.3 kg	-29 / 60° C	
	iM2750	55.9 x 43.2 x 32.2	62.5 x 50 x 36.6	5.1 cm	27.2 cm	10.61 kg	8.39 kg	105.97 kg	-29 / 60° C	
	iM2875	57.1 x 53.6 x 28.9	63.2 x 60.2 x 33.3	5.1 cm	23.9 cm	11.16 kg	9.12 kg	117.58 kg	-29 / 60° C	
នួ	iM2950	73.6 x 45.7 x 26.7	79.5 x 51.8 x 31	5.1 cm	21.6 cm	13.02 kg	9.43 kg	118.23 kg	-29 / 60° C	
CASES	iM2975	73.6 x 45.7 x 35	79.5 x 51.8 x 39.4	5.1 cm	30 cm	13.38 kg	10.34 kg	150.94 kg	-29 / 60° C	
LARGE	iM3075	75.7 x 52.8 x 45.2	84.5 x 62 x 49	10.2 cm	34.9 cm	20.41 kg	14.29 kg	240.81 kg	-29 / 60° C	
LAF	iM3100	92.7 x 35.5 x 15.2	101.1 x 41.9 x 17	5.1 cm	10.2 cm	8.98 kg	6.89 kg	64.67 kg	-29 / 60° C	
	iM3200	111.7 x 35.5 x 15.2	119.8 x 41.9 x 17	5.1 cm	10.2 cm	9.57 kg	8.03 kg	77.48 kg	-29 / 60° C	
	iM3220	111.7 x 35.5 x 21.6	119.8 x 41.9 x 23.4	5.1 cm	16.5 cm	11.25 kg	9.25 kg	108.17 kg	-29 / 60° C	
	iM3300	128.2 x 35.5 x 15.2	136.6 x 41.9 x 17	5.1 cm	10.2 cm	10.43 kg	8.66 kg	88.85 kg	-29 / 60° C	
	iM3410	138.4 x 25.4 x 15.2	146.6 x 32.3 x 16.9	5.1 cm	10.2 cm	9.1 kg	8.2 kg	N/A	-29 / 60° C	

From lid organisers and padded shoulder straps, to TSA Locks and humidity indicators, Peli™ offers a broad range of case accessories.

Refer to www.peli.com for specific accessories available for each case model











Bezel Kit

Lid Stays